



07180 Side Outlet Cross-E Aluminum Magnesium 1-1/4" IPS (1.72" ID)



#13E Side Outlet Cross-E

PIPE SIZE	MINIMUM LIMITS (mm)						MINIMUM LIMITS (in)					
	A	B	G	D	E	F	A	B	G	D	E	F
1 1/4"	1.13	2.51	4.13	1.13	2.13		45	101	166	45	85	
1 1/2"	1.58	3.56	5.15	1.58	3.15		63	142	207	63	125	

Click here for chart

BUYRAILINGS
ARCHITECTURAL AND INDUSTRIAL RAILINGS

2" IPS
Schedule 40 2.387" O.D., 0.154" Wall
Schedule 80 2.387" O.D., 0.218" Wall

1 1/2" IPS
Schedule 40 1.913" O.D., 0.147" Wall
Schedule 80 1.913" O.D., 0.202" Wall

1 1/4" IPS
Schedule 40 1.387" O.D., 0.147" Wall
Schedule 80 1.387" O.D., 0.191" Wall

1" IPS
Schedule 40 0.913" O.D., 0.133" Wall
Schedule 80 0.913" O.D., 0.154" Wall

3/4" IPS
Schedule 40 0.613" O.D., 0.119" Wall
Schedule 80 0.613" O.D., 0.134" Wall